



Intuitive and Intelligent

Polaris ID-215 Series

21.5" Digital Signage



HIGHLIGHTS

- 21.5" Full HD LCD display in portrait orientation
- Wall mount configuration
- Rugged, hard-wearing and vandal-proof
- Ideally for digital signage applications in retail, food-service, healthcare, hospitality, transportation, education, and more



Full HD



Windows



PRODUCT SHOWCASE / Polaris ID-215 Series



21.5" Full HD LCD Display →

→ M.2 x 1

→ Audio-out + Mic-in combo jack x 1

→ RJ45 x 2

→ USB2.0 x 5 + USB3.0 x 1

→ VGA x 1

→ 10/100/1000 Mb x 1



Specifications		Polaris ID-215 Series
Computer	Processor	Intel Bay Trail J1900, Quad Core, up to 2.42 GHz, 2M Cache
	System Memory	DDR3L SO-DIMM slot x 1, max. 8 GB
	Storage Device	SATA SSD x 1 (2.5" SSD)
	Power Supply	12V/60W
	OS Support	Win 7/POSReady 7/WE 8.1 Industry/Win 10 IoT
Physical Dimension	LCD	21.5"
	Touch	N/A (with a glass cover)
	Resolution	1920 x 1080
I/O & Expansion	Serial Port	RJ50 x 2
	Standard USB Port	6, USB2.0 x 5 + USB3.0 x 1
	Display Port	VGA x 1
	LAN Port	10/100/1000 Mb x 1
	Audio	Audio-out + Mic-in combo jack x 1
	Internal Expansion Slot	M.2 x 1
Physical Dimension	Dimension Dimension (W x D x H in mm)	543 x 84 x 334
	Weight	9.8
Environmental	Operating Conditions	5°C - 40°C, 20%RH - 90%RH (Equipped with HDD); 5°C - 50°C, 20%RH - 90%RH (Equipped with SSD)
	Storage	-15°C - 60°C, 10%RH - 90%RH

*Designed and Manufactured in Taiwan by Posiflex Technology, Inc. *The product information and specifications are subject to change without prior notice.



POSIFLEX TECHNOLOGY, INC.
 No. 23, Datong St., Tucheng Dist., New Taipei City 23679, Taiwan
 Tel : +886-2-2268-5577 E-mail : sales@posiflex.com.tw
 Fax : +886-2-2268-5388 www.posiflex.com



Authorized Distributor / Reseller